

INDEX MAPS.

T. 5 S R. 7 W. 2^d Mer.

| | | | | | | |
|--------|--------|--------|--------|--------|--------|-----|
| 148 | 148 | 147 | 147 | 147 | 146 | |
| 149 6 | 141 5 | 141 4 | 140 3 | 140 2 | 140 1 | 145 |
| 139 | 139 | 139 | 139 | 139 | 140 | |
| 149 7 | 138 8 | 138 9 | 138 10 | 137 11 | 137 12 | 145 |
| 136 | 136 | 136 | 137 | 137 | 137 | |
| 149 18 | 136 17 | 135 16 | 135 15 | 135 14 | 135 13 | 145 |
| 133 | 134 | 134 | 134 | 134 | 134 | |
| 150 19 | 133 20 | 133 21 | 132 22 | 132 23 | 132 24 | 145 |
| 144 | 144 | 131 | 132 | 142 | 132 | |
| 150 30 | 144 29 | 143 28 | 142 27 | 131 26 | 130 25 | 146 |
| 143 | 143 | 142 | 142 | 131 | 130 | |
| 150 31 | 143 32 | 142 33 | 131 34 | 130 35 | 130 36 | 146 |
| 130 | 129 | 129 | 129 | 129 | 129 | |

T. 6 S R. 7 W. 2^d Mer.

| | | | | | | |
|--------|--------|--------|--------|--------|--------|-----|
| 174 | 173 | 173 | 173 | 172 | 172 | |
| 174 6 | 167 5 | 167 4 | 167 3 | 168 2 | 168 1 | 171 |
| 166 | 167 | 167 | 168 | 168 | 169 | |
| 174 7 | 166 8 | 166 9 | 165 10 | 165 11 | 165 12 | 171 |
| 164 | 164 | 164 | 164 | 164 | 165 | |
| 175 18 | 163 17 | 163 16 | 163 15 | 163 14 | 162 13 | 171 |
| 161 | 161 | 161 | 162 | 162 | 162 | |
| 175 19 | 161 20 | 160 21 | 160 22 | 160 23 | 160 24 | 171 |
| 158 | 159 | 159 | 159 | 159 | 159 | |
| 175 30 | 158 29 | 157 28 | 156 27 | 156 26 | 155 25 | 172 |
| 158 | 158 | 157 | 156 | 156 | 155 | |
| 176 31 | 157 32 | 157 33 | 156 34 | 155 35 | 155 36 | 172 |
| 170 | 170 | 170 | 169 | 169 | 169 | |

The figures on the lines refer to the page.

Township N^o 5. South of Range N^o 7. West of the 2^d Mer.
South Boundary.

- West. Between Towns 5. & 6. South. & Sec^s 36. & 1.
40. 00 Set a Q^r Sec. Post, from which a Gum 10. in^d diam^r bears S
85. E. 25. lbs. dist^t & an Ash 30 in^d diam^r bears N. 62. W. 32. lbs.
80. 00 Set a mile Post, from which a W. Oak 18. in^d diam^r bears S. 76. 1/2
E. 28. lbs. dist^t & a Poplar 8. in^d diam^r bears N. 33. W. 7. lbs. dist^t
Level Land. Timber. Oak. Gum & Poplar.

- West Between Sec^s 2 & 35. T. 5. R. 7. W. On a true line
17. 10 A Creek 220. lbs. wide. Course S. 20. W. Slope & Dup.
34. 00 The Same Creek 220 lbs. wide. Course N. 30. W.
40. 00 Set a half mile Post in the Creek.
53. 22 The Same Creek bears S. 45. W.
71. 00 A Branch 6. lbs. wide. Course S. 30. E.
80. 00 Set a mile Post; from which a W. Oak 15. in^d diam^r bears S. 84.
W. 12. lbs. dist^t & a W. Oak 13. in^d diam^r bears S. 11. E. 23. lbs. dist^t
Low ridges. Timber. Oak. Hickory. &c. some bottom in the Creek.

- West Continuing Between Sec^s 3. & 34. On a True line. T. 5. R. 7.
40. 00 Set a half mile Post; from which a Gum 14. in^d diam^r bears
S. 5. E. 28. lbs. dist^t & a Gum 10. in^d diam^r bears S. 88. E. 11. lbs. dist^t.
80. 00 Set a mile Post. from which a Gum 12. in^d diam^r bears N. 14.
W. 8. lbs. dist^t & an Ash 7. in^d diam^r bears S. 78. E. lbs. dist^t
Level Land. - Timber Oak. Gum &c.

- West Continuing Between Sec^s 4. & 33. T. 5. R. 7. On a true line
40. 00 Set a Q^r Sec. Post. from which a W. Oak 10. in^d diam^r bears
N. 79. E. 11. lbs. dist^t & a W. Oak 13. in^d diam^r bears S. 9. E. 22. lbs. dist^t
40. 30 A Brook 50. lbs. wide. Course S. 20. W.
80. 00 Set a mile Post from which a W. Oak 14. in^d diam^r bears N. 29.
E. 24. lbs. dist^t & a W. Oak 13. in^d diam^r bears S. 13. W. 29. lbs. dist^t
Land level. Timber. Oak. Hickory &c. &c.

- West Continuing Between Sec^s 5. & 32. On the True line.
35. 00 To a Brook 8. lbs. wide; Course S. 70. W.
40. 00 Set a Q^r Sec. Post from which a W. Oak 18. in^d diam^r bears S. 35.
E. 18. lbs. dist^t & a W. Oak 16 in^d diam^r bears N. 44. E. 23. lbs. dist^t

T. 5. S. R. 7. W. 2nd Mer.

81. 00 Set a mile Post; from which a Pin Oak 20 in. diam. bears
 S. 82. E. 22. lbs. dist. & a Y. Oak 18. in. diam. bears N. 27. W. 50. lbs.

West Continued Between Sec. 6. & 31. On a True line.

40. 00 Set a 1/2 Sec. Post from which a Sapling 12. in. diam. bears
 N. 1. E. 21. lbs. dist. & a Dogwood 7. in. diam. bears N. 70. E. 13 lbs.
 102. 73 Intersected Smith's line 7 22. lbs. N. of the Corner on a Random
 line. Land level. Timber. Oak. &c. Oct. 27th 1805.

North Between Sec. 35. & 36. T. 5. S. R. 7. W.

40. 00 Set a 1/2 Sec. Post from which a W. Oak 14. in. diam. bears
 N. 20. E. 21. lbs. dist. & a W. Oak 15. in. diam. bears N. 75. W. 50 lbs. dist.
 62. 70 To a W. Oak 16. in. diam. in the line.
 80. 00 Set a mile Post; from which a W. Oak 20. in. diam. bears
 S. 61. E. 32. lbs. dist. & a W. Oak 15. in. diam. bears S. 20. W. 34 lbs.
 Level land. Timber. Oak. Hickory & some Poplar.

East On a Random Between Sec. 25. & 36. T. 5. S. R. 7. W.

39. 25 Set a 1/2 Sec. Post. from which a B. Oak 34 in. diam. bears
 S. 46. E. 29. lbs. dist. & a P. 27 in. diam. bears N. 51 1/2. E. 76. lbs. dist.
 78. 50 Intersected W. line. N. of the Post On a Random line.
 Level land. Timber. Oak. Gum. Maple. &c.

North Between Sec. 25. & 36. T. 5. S. R. 7. W.

30. 22 To a W. Oak 33. in. diam. in the line
 40. 00 Set a 1/2 Sec. Post; from which a W. Oak 10. in. diam. bears
 N. 46. W. 11. lbs. dist. & a W. Oak 12. in. diam. bears S. 19. W. 26 lbs.
 50. 50 A buck 2.30. lbs. wide. Course S. 40. W.
 80. 00 Set a mile Post; from which a W. Oak 27. in. diam. bears N.
 75. W. 27. lbs. dist. & a W. Oak 12. in. diam. bears S. 38. E. 45. lbs. dist.
 Low ridges. Timber. Oak. &c. some sand stone.

North Between Sec. 34. & 35. T. 5. S. R. 7. W. 2nd Mer.

1. 00 To a Branch. 6. lbs. wide Course E.
 40. 00 Set a 1/2 Sec. Post from which a B. Oak 22 in. diam. bears
 N. 26. E. 22. lbs. dist. & a B. Oak 20. in. diam. bears N. 65. W. 46. lbs. dist.

T. N. 5. G. B. N. 7. W. 2nd Mer.

60. 00 To a Branch 6. lks. wide; course East.
 80. 00 Set a Mile Post; from which a W. Oak 8. in. diam. bears N. 80
 W. 38. lks. dist. & a W. Oak 7. in. diam. bears S. 4. E. 36. lks. dist.
 Low ridges. Timber. Oak, & Hickory. Spice. & Sassafras. &c.

- East Between Sec. 26. & 35. On a Random line T. 5. G. B. 7.
 110. 00 Set a 1/2 Sec. Post; from which a W. Oak 12. in. diam. bears N.
 2. W. 11. lks. dist. & a W. Oak 8. in. diam. bears S. 88. E. 17. lks. dist.
 74. 00 A Brook 220. lks. wide. course S. 45. W.
 80. 00 10. lks. S. of the Post On a Random line. Low ridges. & Oak.
 Timber. Oct. 28th 1805.

- North Between Sec. 26. & 27. T. 5. G. B. 7. W. 2nd Mer.
 12. 62 To a Branch 5. lks. wide. course E.
 22. 12 A B. Oak 24. in. diam. in the line.
 40. 00 Set a 1/2 Sec. Post; from which a Locust 10. in. diam. bears N. 68.
 W. 3. lks. dist. & a Gum 16. in. diam. bears S. 5. E. 27. lks. dist.
 60. 05 To a B. Oak 36. in. diam. in the line.
 80. 00 Set a Mile Post from which an Ash 14. in. diam. bears S. 5. W.
 30. lks. dist. & a S. Oak 42. in. diam. bears S. 85. E. 64. lks. dist.
 Land tract. Timber. Oak. Hickory &c. &c.

- North Between Sec. 33. & 34. T. 4. G. B. 7. W.
 17. 75 A Red Oak 14. in. diam. in the line.
 110. 00 Set a 1/2 Sec. Post; from which a W. Oak 22. in. diam. bears
 N. 72. E. 12. lks. dist. & a W. Oak 15. in. diam. bears S. 61. E. 12. lks. dist.
 50. 00 Set a Mile Post; from which a Cherry 10. in. diam. bears S.
 38. W. 32. lks. dist. & a Gum 24. in. diam. bears N. 47. W. 24. lks.
 dist. Land tract. Timber. Oak. Gum. Spice. &c. &c.

- East Between Sec. 21. & 28. On a True line. T. 5. G. B. 7. W.
 4. 55 A Brook. 10. lks. wide. course S.
 110. 20 Set a 1/2 Sec. Post; from which a Hickory 12. in. diam.
 bears S. 81. E. 13. lks. dist. & a B. Oak 24. in. diam. bears S. 29. W. 54. lks. dist.
 80. 40 Intersected the Post. 30. lks. S. of the Post on a Random line
 Land tract. Timber. Oak. & Hickory.

T. No 5. S. R. No 7. W. 2nd Mer.

East Between Sec. 22. & 27. On a True line T. 5. S. R. 7.
 39. 40 Sec. 6 q^r Sec. Post from which an Ash 18 in. diam. bears
 S. 77. E. 12. lbs. dist. & an Elm 15 in. diam. bears N. 41. W. 30. lbs. dist.
 78. 80 Intersecting 30. lbs. S. of the Post. On a Random line. Land level.
 Part wet. Timber. Gum, Elm, Maple, &c.

*

East On a True line Between Sec. 24 & 25 T. 5. S. R. 7. W.
 39. 50 Sec. 6 q^r Sec. Post from which a W. Oak 24 in. diam. bears S.
 52. E. 18. lbs. dist. & a W. Oak 16 in. diam. bears N. 36. E. 6. lbs. dist.
 57. 25 A Brook 6. lbs. wide. Course S.
 79. 60 Intersecting the Post 75. lbs. S. of the Post. Land level.
 Timber. Maple, Gum, Oak, &c.

North Between Sec. 23. & 24. T. 5. S. R. 7. W.
 32. 38 A W. Oak 22 in. diam. in the line.
 40. 60 Sec. 6 q^r Sec. Post from which a Gum 13 in. diam. bears S.
 65. W. 9. lbs. dist. & an Elm 9 in. diam. bears N. 50. E. 19. lbs. dist.
 41. 60 A Brook 50. lbs. wide. Course N. 60. E.
 53. 25 A W. Oak 36 in. diam. in the line.
 56. 60 Sec. 6 mile Post from which a W. Oak 14 in. diam. bears
 N. 31. E. 5. lbs. dist. & a W. Oak 16 in. diam. bears S. 5. 1. W. 23. lbs.
 dist. Land level. Timber. Oak, &c. &c.

North Between Sec. 22. & 23. T. 5. S. R. 7. W.
 15. 25 An R. Oak 30 in. diam. in the line.
 33. 40 A Brook 50. lbs. wide. Course E.
 46. 60 Sec. 6 q^r Sec. Post from which a Red Oak 24 in. diam. bears
 S. 32. W. 24. lbs. dist. & an Elm 5 in. diam. bears S. 41. E. 15. lbs.
 76. 36 A Hickory 26 in. diam. in the line.
 56. 60 Sec. 6 mile Post from which an Elm 13 in. diam. bears N. 40
 E. 23. lbs. dist. & a Gum 10 in. diam. bears S. 47. E. 25. lbs. dist.
 Soil Bottom land. Timber. Gum, Elm, Hickory, &c.

North Between Sec. 21. & 22. T. 5. S. R. 7. W.
 18. 50 A Hickory 14 in. diam. in the line.
 46. 60 Sec. 6 q^r Sec. Post from which a W. Oak 13 in. diam. bears

T. 5. S. R. 7. W. 2nd Mer.

- Y. 56. W. 121. lbs. dist. 4a B. Oak 36 in? bears Y. 25. ~~E. 12. lbs. dist.~~
 43. 50 A W. Oak 14. in? diam? in the line.
 50. 00 Set a mile Post, from which a B. Oak 24. in? diam? bears N. 5. E.
 21. lbs. dist. 4a B. Oak 24. in? diam? bears Y. 21. E. 51. lbs. dist.
 Low ridges. Timber. Oak & Hickory.

- North Between Sec? 20. & 21. T. 5. S. R. 7. W. 2nd Mer.
 8. 75 A W. Oak 20. in? diam? in the line.
 40. 00 Set a Q^{rt} Sec. Post; from which a W. Oak 24. in? diam? bears N. 79.
 W. 23. lbs. dist. 4a W. Oak 22. in? diam? bears N. 61. E. 53. lbs. dist.
 48. 38 A W. Oak 18. in? diam? in the line.
 55. 00 Barrens & Brush to the Post.
 80. 00 Set a mile Post; from which a Hb. Locust 13 in? diam? bears
 N. 7 1/2. W. 34. lbs. dist. 4a Elm 14 in? bears Y. 31. E. 32. lbs. dist.
 Low ridges. Timber. Oak & Hickory.

- North Between Sec? 19. & 20. T. 5. S. R. 7. W.
 18. 50 To a W. Oak 15. in? diam? in the line.
 37. 50 A Brook 50. lbs. wide. Course Y. 40. E.
 40. 00 Set a Post. Corner to Q^{rt} Sec. from which a W. Oak 12. in? diam? bears
 Y. 68 1/2. W. 13. lbs. dist. 4a W. Oak 12. in? bears N. 88. E. 40. lbs. dist.
 55. 00 A Brook 12. lbs. wide. Course W.
 71. 12 A Gum 12. in? diam? in the line.
 50. 00 Set a mile. Post; from which a W. Oak 36. in? diam? bears N. 66.
 W. 45. lbs. dist. 4a W. Oak 18. in? diam? bears Y. 36. W. 20. lbs. dist.
 Low Land. Timber. Oak. Hickory. & Gum.

- West Between Sec? 18. & 19. T. 5. S. R. 7. W. On the True line.
 19. 25 A Brook 15. lbs. wide. Course South.
 40. 00 Set a Q^{rt} Sec. Post; from which a W. Oak 16. in? diam? bears Y. 73. W.
 24. lbs. dist. 4a Gum 8. in? diam? bears Y. 88. E. 11. lbs. dist.
 50. 11 A W. Oak 11. in? diam? in the line.
 52. 50 A Brook 50. lbs. wide. Course Y.
 56. 75 Shi Gum " " " N. 40. E.
 59. 00 " Gum " " " Y. 30. W.
 101. 70 Intersecting Smiths line. 74. lbs. N. of the Post. Set a Post. from

T. N^o 5. T. N^o 7. W. 2nd Mer.

which a W. Oak 13. in. diam. bears N. 71. E. 12. lbs. dist. & a W.
Oak 13. in. diam. bears S. 47. E. 29. lbs. dist. Level Land.
Timber. Oak. Gum. & Elm.

East On a True line between Sec^s 17. & 20. T. 5. T. N^o 7. W.
110. 00 Set a G^o Sec. Post. from which a W. Oak 13. in. diam. bears S. 31.
W. 17. lbs. dist. an Elm 10. in. diam. bears N. 69 $\frac{1}{2}$ W. 29. lbs. dist.
50. 00 Intersected the Post. 25. lbs. S. of the Post. On the Random line
Gonridges. Timber. Oak. & Hickory. Sec. 3.^d 1865.

East Between Sec^s 16. & 21. T. 5. T. N^o 7. W. On a True line
39. 75 Set a G^o Sec. Post. from which a W. Oak 15. in. diam. bears N.
15. W. 13. lbs. dist. & a D. 13. in. diam. bears S. 37. E. 14. lbs. dist.
79. 50 Intersected the N. & S. line 40. lbs. N. of the Post. on the Random
line. Part met. Timber. Maple. Gum. & Oak.

East Between Sec^s 15. & 22. On a True line T. 5. T. N^o 7. W.
39. 90 Set a G^o Sec. Post. at aver. dist. on a True line. from which an
Elm 30. bears N. 83. W. 39. lbs. dist. & a Maple 8. in. diam. bears
S. 49. E. 37. lbs. dist.
58. 50 A Brook 50 lbs. wide. Course S. 20. W.
69. 50 A Brook 6. lbs. wide; course South.
79. 50 Intersect the N. & S. 20. lbs. N. of the Post on a Random.
Land level. Part met. Bottom. Gum. Maple. &c. &c.

East Between Sec^s 14. & 23. On a True line. T. 5. T. N^o 7. W.
39. 50 Set a Post for Sec. to G^o Sec. from which a D. Oak 20. in. in
diam. bears S. 16. E. 14. lbs. dist. & a W. Oak 13. in. diam.
bears N. 41. W. 51. lbs. dist. 20. ch. Bottom.
79. 00 Hit the Post. Land level. Timber. Oak. & Gum. On the Bottom.

East Between Sec^s 13. & 24 On a True line T. 5. T. N^o 7. W.
14. 50 A Brook 50 lbs. wide; course N. 45. E.
39. 75 Set a G^o Sec. Post. from which an Ash 14. in. diam. bears S. 51.
E. 29. lbs. dist. & an Ash 12. in. diam. bears S. 77. W. 29. lbs. dist.
79. 50 Intersect the N. & S. line 150. lbs. N. of the Post. On the Random

T. N^o 5. S. R. N^o 7. W. 2nd Mer.

Line Land surv. Timber. Oak. Hickory. & Ash

- North Between Sec. 13. & 14. T. 5. S. R. 7. W.
- 19 38 A B. Oak 30. in. diam. in the line.
40. 00 Set a G^o Sec. Post. from which a S. Oak 14. in. diam. bears N. 52. E. 32. lbs. dist. & a S. Oak 16. in. diam. bears S. 77. W. 5. lbs. dist.
62. 50 A S. Oak 15. in. diam. in the line.
80. 00 Set a mile Post. from which a Gum 14. in. diam. bears S. 22. W. 39. lbs. dist. & a Gum 12. in. diam. bears N. 76. E. 38. lbs. dist.
- Surv. Land. Timber. Oak. Gum. Hickory. Ash. &c.

- North Between Sec. 14. & 15. T. 5. S. R. 7. W.
40. 00 Set a G^o Sec. Post. from which a W. Oak 13. in. diam. bears S. 25. E. 27. lbs. dist. & a S. 24. in. diam. bears N. 53. E. 18. lbs. dist.
50. 00 To a Brook 6. lbs. wide; Course W.
53. 50 To a Brook 6. lbs. wide; Course W.
80. 00 Set a mile Post. from which a B. Walnut 14. in. diam. bears S. 65. W. 27. lbs. dist. & a B. Oak 36. in. diam. bears N. 43. E. 56. lbs. dist.
- Surv. Land Part Bottom; Timber. Oak. Gum. Elm &c.

- North Between Sec. 15. & 16. T. 5. S. R. 7. W. Dec. 4th 1805.
16. 00 A W. Oak 24. in. diam. in the line.
16. 50 24. ch. of Bottom Land.
40. 00 Set a G^o Sec. Post. from which a S. Oak 12. in. diam. bears S. 6. W. 41. lbs. dist. & a Gum 8. in. diam. bears N. 31. W. 16. lbs. dist.
52. 62 A B. Oak 36. in. diam. in the line.
80. 00 Set a mile Post. from which a W. Oak 20. in. diam. bears N. 77. E. 42. lbs. dist. & a Mulberry 12. in. diam. bears S. 61 1/2. W. 34. lbs. dist.
- Bottom & W. pland. Timber. Oak. Gum & Elm

- North Between Sec. 16. & 17. T. 5. S. R. 7. W.
18. 12 A B. Oak 14. in. diam. in the line.
40. 00 Set a Post. corner to G^o Sec. in Barrens. no trees.
45. 00 The N. side of Barrens.
52. 90 A Red Oak 22. in. diam. in the line.
70. 50 A Brook 6. lbs. wide; Course N. 30. W.

T. 5. S. R. 7. W. 2nd Mer

50. 00 Set a mile Post from which a W. Oak 22. in. diam. bears N. 76. E. 13. lbs. dist. & a W. Oak 14. in. diam. bears N. 51. W. 20. lbs. dist. & Low ridges, Juniper. Oak. &c.

North Between Sec. 17. & 18. T. 5. S. R. 7. W.

20. 00 A Ridge of Sand to the mile Post.
 40. 00 Set a 1/2 Sec. Post; from which a Maple 12. in. diam. bears S. 8. E. 23. lbs. dist. & a Maple 10. in. diam. bears S. 72. E. 31. lbs. dist.
 52. 00 A Red. Oak 22. in. diam. in the line.
 80. 00 Set a mile Post; from which a W. Oak 14. in. diam. bears S. 71. W. 53. lbs. dist. & a W. Oak 32. in. diam. bears N. 22. W. 50. lbs. dist.; Juniper. Oak. Gum. & Maple.

West Between Sec. 7. & 10. On a True line. T. 5. S. R. 7. W.

21. 25 A Red. Oak 36. in. diam. in the line.
 30. 25 A Branch 12. lbs. wide; Course S.
 40. 00 Set a 1/2 Sec. Post; from which a D. Oak 20. in. diam. bears S. 79. W. 28. lbs. dist. & a D. Walnut 12. in. diam. bears S. 88. E. 32. lbs. dist.
 58. 00 A B. Walnut 22. in. diam. in the line
 58. 12 A Brook 8. lbs. wide; Course S.
 101. 00 Intersecting the N. & S. line 75. lbs. N. of the Post & set a Post. from which a Maple 13. in. diam. bears N. 55. E. 36. lbs. dist.

East Between Sec. 8. & 17. T. 5. S. R. 7. W. On the True line

13. 75 A Brook 6. lbs. wide; Course S. 30. W.
 40. 20 Set a 1/2 Sec. Post. from which a W. Oak 13. in. diam. bears N. 56. W. 21. lbs. dist. & a D. Oak 24. in. diam. bears N. 5. E. 14. lbs. dist.
 60. 00 A Branch 4. lbs. wide. Course N. 20. E.
 80. 40 Intersecting the N. & S. line 30. lbs. N. of the Post. on a Random line. Level. hilly; Juniper W. & B. Oak.

East Between Sec. 9. & 16. T. 5. S. R. 7. W. 2nd Mer.

1. 00 A Branch 5. lbs. wide. Course N. 10. E.
 39. 54 Set a 1/2 Sec. Post; from which a Oak Jack 16. in. diam. bears S. 31. W. 12. lbs. dist. & a Jack Oak 8. in. diam. bears N. 26. W. 19. lbs. dist.
 74. 64 Intersecting 15. lbs. N. of Post; Post 1/2 sec. Post. 1/2 sec. Oak & Hick. timber.

T. N. 5. S. R. N. 7. W. 2nd Mer.

East Between Sec. 10. & 15. T. 5. S. R. N. 7. W.
 30. 00 To a Branch 50 lbs. wide. Course S 30 E.
 39. 35 Set a G² Sec. Post: from which a W. Oak 18 in. diam. bears N. 73. W. 19 lbs. dist. & a Gum 6 in. diam. bears S. 19. W. 14 lbs. dist.
 79. 70 Intersected the N. & S. line 20 lbs. N. of the Post. On a Random line. The 1st 45 ch. is Bottom land. The upland. Oak. Gum &c.

East Between Sec. 11. & 14 T. 5. S. R. N. 7. W.
 39. 75 Set a G² Sec. Post: from which a Sycamore 8 in. diam. bears N. 50. E. 4 lbs. dist. & a P² 10 in. diam. bears S 64. E. 14 lbs. dist.
 69. 00 A Branch 4 lbs. wide. Course S.
 79. 50 Hit the Post. Low ridges W. & B. Oak. some Gum. Ash. &c. Timber.

East Between Sec. 12. & 13. T. 5. S. R. N. 7. W. On a true line
 16. 75 To a Brook 10 lbs. wide. Course S.
 39. 50 Set a G² Sec. Post: from which a W. Oak 6 in. diam. bears S. 72. 42 W. 12 lbs. dist. & a Gum 8 in. diam. bears N. 37. W. 21 lbs. dist.
 113. 40 A Pond 100 lbs. wide. Course N. & S.
 64. 00 A Branch 100 lbs. wide. Course S 20 E.
 79. 60 Intersected the N. & S. line 160 lbs. N. of the Post. Good Land. Part Bottom. Timber. Oak. Gum & Ash some Hick². Dec. 5th 1805.

North Between Sec. 11. & 12. T. 5. S. R. N. 7. W.
 20. 00 To a Branch 3 lbs. wide. Course E.
 40. 00 Set a G² Sec. Post: from which a Gum 22 in. diam. bears N. 86. E. 25 lbs. dist. & a Gum 8 in. diam. bears S. 24. E. 30 lbs. dist.
 51. 12 A Branch 10 lbs. wide. Course E.
 70. 00 An O. Oak 20 in. diam. in the line
 80. 00 Set a Mile Post: from which a Maple 10 in. diam. bears N. 58. E. 18 lbs. dist. & a Maple 12 in. diam. bears S. 76. W. 15 lbs. dist.
 Good Land. Timber. Oak. Gum. Hickory. & Maple.

North Between Sec. 10. & 11. T. 5. S. R. N. 7. W.
 21. 75 To a B. Oak 30 in. diam. in the line.
 40. 00 Set a G² Sec. Post from which an Ash 8 in. diam. bears N. 82. E. 14 lbs. dist. & a Gum 7 in. diam. bears N. 18. W. 8 lbs. dist.

T. No 5. S. Co. No 7. W. 2nd Mer.

60. 88 A B. Oak 32. in. diam. in the line.
 64. 25 To a Branch 6. lks. wide; course NW.
 50. 00 Set a Mile Post; from which a W. Oak 14. in. diam. bears N.
 69. E. 38. lks. dist. & an B. Oak 13. in. diam. bears S. 41. W. 59.
 lks. dist. - Low ridges; Timber W. & B. Oak, & some Hickory.

North Between Sec. 9. & 10. T. 5. S. Co. 7. W.

22. 25 To a Branch 50. lks. wide; course N. 20. E.
 40. 00 Set a 1/2 Sec. Post; from which an B. Oak 13. in. diam. bears S. 9. E.
 12. lks. dist. & an B. Oak 30. in. diam. bears N. 46. E. 25. lks. dist.
 51. 75 A W. Oak 12. in. diam. in the line.
 80. 00 Set a Post; from which a W. Oak 12. in. diam. bears N. 33. E. 75.
 lks. dist. & a W. Oak 32. in. diam. bears N. 24. E. 75. lks. dist.
 A Flat Bottom Land; on the Branch; mostly Oak. Timber

North Between Sec. 8. & 9. T. 5. S. Co. 7. W.

8. 00 A W. Oak 32. in. diam. in the line
 31. 00 To a Branch 8. lks. wide; course N. 30. E.
 40. 00 Set a 1/2 Sec. Post; from which an B. Oak 13. in. diam. bears
 N. 78. W. 16. lks. dist. & an Elm 10. in. diam. bears S. 61. E. 14. lks. dist.
 58. 90 A Branch 6. lks. wide; course E.
 80. 00 Set a mile Post; from which a B. Oak 18. in. diam. bears N. 39.
 W. 58. lks. dist. & a Hickory 16. in. diam. bears N. 12. E. 39. lks. dist.
 Low ridges. some level Land. Timber. Oak. Gum. Maple
 Walnut. & Sassafras.

North Between Sec. 7. & 8. T. 5. S. Co. 7. W.

29. 00 To a Branch 5. lks. wide; course West.
 40. 00 Set a 1/2 Sec. Post; from which a Hick. 10. in. diam. bears S. 28.
 W. 5. lks. dist. & a B. Oak 6. in. diam. bears S. 64. W. 39. lks. dist.
 47. 50 A Branch 6. lks. wide; course S. 30. W.
 51. 50 A Branch 5. " " " S. 40. W.
 80. 00 Set a mile Post; from which a B. Oak 24. in. diam. bears N.
 74. W. 44. lks. dist. & a Hickory 14. in. diam. bears S. 72. E. 19. lks.
 dist. Bridge Land. Timber. Oak & Hick. Dec. 6. 1805.

T. N. 5. S. R. N. 7. W. 2nd Mer.

- West Between Sec^s 6 & 7. T. 5. S. R. 7. W. On a True line.
 33. 40 A Branch 10. lbs. wide; Course S. 20. W.
 40. 00 Set a G^o Sec. Post; from which a Red Oak 13 in. diam. bears S. 31. E. 5. lbs. dist. & a G^o Spruce 6 in. diam. bears S. 88. W. 17. lbs. dist.
 53. 50 A Branch 8. lbs. wide; Course S. 20. W.
 100. 50 Intersecting Smith's line 8. lbs. N. of the Post; & set a Post. from which a B. Oak 22 in. diam. bears S. 67. E. 60. lbs. dist. & a Hickory 18 in. diam. bears N. 42. E. 20. lbs. dist. Low ridges. Oak & Hickory.

- East Between Sec^s 5 & 8. T. 5. S. R. 7. W. On a True line.
 33. 12 A Branch 3. lbs. wide. Course S. 30. W.
 40. 10 Set a G^o Sec. Post; from which a Gum 14 in. diam. bears S. 68. W. 6. lbs. dist. & a W. Oak 15 in. diam. bears S. 32. E. 27. lbs. dist.
 50. 20 Hit the Post. Low ridges. Timber. W. & B. Oak. & Hickory.

- East Between Sec^s 4 & 9. T. 5. S. R. 7. W. On a True line.
 24. 50 To a Branch 50. lbs. wide; Course S. 30. E.
 39. 50 Set a G^o Sec. Post; from which a Gum 24 in. diam. bears N. 50. E. 15. lbs. dist. & a B. Oak 16 in. diam. bears S. 61. W. 8. lbs. dist.
 51. 50 Land hilly to the mile Post; Some Tree Stone. Oak. Maple. & Timber.
 79. 60 Intersecting the N. & S. line 10. lbs. N. of the Post on the Random line

- East Between Sec^s 3 & 10. T. 5. S. R. 7. W.
 15. 12 A Branch 10. lbs. wide. Course South
 25. 00 A Branch 6. lbs. " " South.
 39. 75 Set a G^o Sec. Post from which a W. Oak 18 in. diam. bears S. 67. E. 23. lbs. dist. & a B. Oak 22 in. diam. bears S. 4. W. 45. lbs. dist.
 60. 00 To a Branch 4. lbs. wide; Course S.
 79. 50 Intersecting the N. & S. line. 40. lbs. N. of the Post. On the Random line. Ridges. W. & B. Oak. Timber.

- East Between Sec^s 2 & 11. T. 5. S. R. 7. W.
 39. 50 Set a G^o Sec. Post. from which a B. Oak 24 in. diam. bears N. 25. W. 5. lbs. dist. & a W. Oak 22 in. diam. bears S. 75 E. 23. lbs. dist.
 62. 00 To a Branch 6. lbs. wide. Course N. 50. E.
 79. 00 Hit the Post. Low ridges. Timber. Oak & Hickory.

T. 5. S. R. 7. W. 2nd Mer.

- East Between Sec. 1 & 2. T. 5. S. R. 7. W. 41. ch. & 56. Bottom.
26. 50 A Branch 130. lbs. wide; Course South.
39. 50 Set a G² Sec. Post; from which an Ash 10. in. diam. bears N. 44. W. 26. lbs. dist. & a W. Oak 12 in. bears S. 79. E. 15. lbs. dist.
41. 50 To a Pond 100. lbs. wide; S. 40. W.
65. 00 High ground. to the Post; & some freestone; Timber. Oak, Gum Maple, Ash. & Hickory. &c.

- North Between Sec. 1 & 2. T. 5. S. R. 7. W.
31. 62 A B. Oak 18. in. diam. in the line;
40. 00 Set a G² Sec. Post; from which an B. Oak 16. in. diam. bears N. 17. E. 8. lbs. dist. & a W. Oak 7. in. diam. bears N. 70. W. 20. lbs.
48. 50 A Branch 8. lbs. wide; Course E.
77. 50 Intersected by Pictors line. & set a Post; from which a B. Oak 22. in. diam. bears N. 73. W. 52. lbs. dist. & a W. Oak 13. in. diam. bears N. 18. E. 38. lbs. dist. Low ridges. & Brushy.

- ~~North Between Sec. 1 & 2. T. 5. S. R. 7. W.~~
- ~~31. 62 An B. Oak 15. in. diam. in the line;~~
- ~~40. 00 Set a G² Sec. Post; from which a B. Oak 6. in. diam. bears N. 17. E. 8. lbs. dist. & a W. Oak 7. in. diam. bears N. 70. W. 20. lbs.~~
- ~~48. 50 A Branch 8. lbs. wide Course E.~~
- ~~77. 50 Intersected by E. & W. line & set a Post; from which a B. Oak 22. in. diam. bears N. 73. W. 52. lbs. dist. & a W. Oak 13. in. diam. bears N. 18. E. 38. lbs. dist. Low ridges. Brushy.~~

- North Between Sec. 3 & 3. T. 5. S. R. 7. W. Sec. 7th 1865.
46. 00 Set a G² Sec. Post; from which a B. Oak 15. in. diam. bears N. 72. W. 32. lbs. dist. & a D. 18. in. diam. bears S. 25. E. 40. lbs. dist.
66. 75 To a Branch 1. lbs. wide. Course E.
71. 00 A W. Oak 22. in. diam. in the line
77. 50 Intersected by Pictors line & set a Post; from which a Gum 14. in. diam. bears S. 48. W. 7. lbs. dist. & a W. Oak 33. in. diam. bears S. 67. E. 48. lbs. dist. Low ridges Timber W. & B. Oak. &c.

- North Between Sec. 3 & 4. T. 5. S. R. 7. W.

T. N. 5. E. R. N. 7. W. 2nd Mer.

23. 80 An R. Oak 18. in. diam. in the line.
 25. 00 To a Branch 6. Mts. wide. Course S. 30. E. 84 Mts. W.
 40. 00 Set a Gt. Sec. Post; from which a W. Oak 13. in. diam. bears N. 78
 dist. 8 a W. Oak 12. in. diam. bears S. 10. W. 55. Mts. dist.
 78. 00 Intersected Rector's line & set a Post. 4 a B. Oak 30. in. diam. bears
 S. 81. E. 22. Mts. dist. 3 a W. Oak 18. in. diam. bears S. 68. W. 64 Mts. dist.
 Ridgely Land; Timber, W. & B. Oak.

- North Between Sec. 4. & 5. T. 5. S. R. 7. W.
 26. 50 Set a W. Oak 36. in. diam. in the line.
 40. 00 Set a Gt. Sec. Post; from which a W. Oak 22. in. diam. bears S.
 54. W. 9. Mts. dist. 4 an R. Oak 18. in. diam. bears S. 86. E. 23. Mts. dist.
 45. 75 A Branch 26. Mts. wide. Course E.
 62. 75 A Branch 6. " " " E.
 77. 50 Intersected Rector's line & set a Post. from which a R. Oak 22.
 in. diam. bears N. 83. W. 56. Mts. dist. 4 an R. Oak 20. in. diam.
 bears South 79. Mts. dist. Land here. Part Bottom; Timber
 Oak. Gum Hickory &c.

- North Between Sec. 5. & 6. T. 5. S. R. 7. W.
 18. 62 A B. Oak 30. in. diam. in the line.
 40. 00 Set a Gt. Sec. Post. from which a B. Oak 27. in. diam. bears S. 36. E.
 54. Mts. dist. 4 a W. Oak 12. in. diam. bears N. 9. E. 37. Mts. dist.
 61. 50 A B. Oak 30. in. diam. in the line.
 78. 00 Intersected Rector's line & set a Post. from which an Elm 18. in. diam.
 bears S. 22. W. 33. Mts. dist. 4 a Sapashus 12. in. diam. bears S. 53.
 E. 56. Mts. dist. Low ridges Timber. W. & B. Oak. — Dec. 8th. 1865.

Surveyed by Jacob Fowler.

~~I certify that the foregoing Transcript of the Field notes of
 Township N. 5. South of Range N. 7. West of the Mer. Ind. has
 been compared with the Original in this Office. & found to be
 correct.~~

~~Surveyor General's Office
 Cincinnati Nov. 5th 18. 39.~~

T. 5. S. R. N. 7. W. 2nd Mer.

- * East Between Secs. 23. & 26. T. 5. S. R. 7. W.
 39. 45 Set a Q^r. Sec. Post. from which an Ash 8. in. diam. bears N.
 62. E 15. lbs. dist & an Elm 12. in. diam. bears S. 79. W. 35. lbs.
 78. 90 Intersected the N. & S. line 40. lbs. N. of the Post. On a Random
 line; Timber. Gum. Maple. Elm &c. Land level & all met.

Dec. 2nd 1845.

- * East Between Secs. 27. & 34.
 9. 50 To a Branch 8. lbs. wide. Course S.
 39. 40 Set a Q^r. Sec. Post. from which a B. Oak 30. in. diam. bears N. 55.
 E. 33. lbs. dist & a B. Oak 18. in. diam. bears N. 56. W. 27. lbs. dist.
 78. 50 Intersected the N. & S. line 30. lbs. S. of the Post. Low ridges &
 Snow. Oak. Timber.

- North Between Secs. 27. & 28. T. 5. S. R. 7. W.
 3. 75 To a B. Oak 48. in. diam. stands in the line.
 29. 58 To a B. Oak 20. " " " " "
 110. 00 Set a Q^r. Sec. Post. from which a W. Oak 18. in. diam. bears
 N. 69. W. 21. lbs. dist & a Dogwood 7. in. bears S. 8. W. 24. lbs. dist.
 58. 50 To a B. Oak 21. in. diam. stands in the line.
 80. 00 Set a Mile Post. from which a W. Oak 21. in. diam. bears
 N. 51. W. 38. lbs. dist & a Hickory 10. in. bears S. 87. E. 27. lbs.
 Rising ground Timber. W. & B. Oak, & some Hickory.

- North Between Secs. 32. & 33. T. 5. S. R. 7. W.
 30. 50 To a Branch 50. lbs. wide. Course. S. 10. E.
 40. 00 Set a Q^r. Sec. Post. from which a W. Oak 10. in. diam. bears
 N. 21. E. 11. lbs. dist & a W. Oak 18. in. diam. bears S. 70. E. 8. lbs. dist.
 40. 50 500. lbs. up the Branch, leaving it. on the West.
 80. 00 Set a Mile Post. from which an Elm 12. in. diam. bears N. 46.
 W. 27. lbs. dist & a W. Oak 14. in. diam. bears S. 27. W. 30. lbs. dist.
 Low ridges Oak. Timber. Oct. 29th 1845.

- East Between Secs. 28. & 33. T. 5. S. R. 7. W.
 40. 20 Set a Q^r. Sec. Post. from which a W. Oak 20. in. diam. bears
 N. 9. E. 13. lbs. dist & a B. Oak 18. in. diam. bears N. 75. W. 20. lbs.
 80. 40 Intersected the N. & S. line 15. lbs. S. of the Post on a

T. N 5. S. R. N 7. W. 2nd Mer.

Random line. Good Land. Timber. Oak & Hickory. Spice.
& Yew. &c.

- North Between Sec. 28 & 29. T. 5. S. R. 7. W.
3. 00 To a Branch 50. lbs. wide. Course W.
5. 30 To a W. Oak 18. in. diam. in the line
10. 00 Set a Off. Sec. Post. from which an S. Oak 20. in. diam. bears
N. 25. E. 39. lbs. dist. & an S. Oak 22. in. diam. bears S. 19. W. 53. lbs. dist.
68. 12 To a Branch 50. lbs. wide. Course S. 50. E.
72. 50 To the Same. " " " S. 30. W.
75. 00 " " Same " " " S. E.
80. 00 Set a mile Post. from which a W. Oak 15. in. diam. bears N. 22.
E. 29. lbs. dist. & a W. Oak 13. in. diam. bears S. 40. E. 21. lbs. dist.
Good Bottom Land. Timber. Oak & Hickory.

- North Between Sec. 31 & 32. T. N 5. S. of R. N 7. W.
9. 75 To a Red Oak 20. in. diam. stands in the line.
40. 00 Set a Off. Sec. Post. from which a Red Oak 7. in. diam. bears S.
15. W. 10. lbs. dist. & an Elm 20. in. diam. bears N. 15. W. 16. lbs. dist.
53. 60 To a B. Oak 36. in. diam. in the line.
50. 00 Set a mile Post. from which a B. Oak 33. in. diam. bears S. 68
E. 13. lbs. dist. & a B. Oak 16. in. diam. bears S. 38. W. 38. lbs. dist.
Good Land. Timber. Oak & Hickory. Spice bush &c. Rich Land.

- East Between Sec. 29 & 32. T. 5. S. R. 7. W.
31. 50 To a Branch 15. lbs. wide; Course S. 40. E.
40. 00 Set a Off. Sec. Post. from which a W. Oak 10. in. diam. bears N. 53.
E. 17. lbs. dist. & a W. Oak 8. in. diam. bears S. 65. W. 9. lbs. dist.
57. 50 To a Branch 50. lbs. wide; Course South.
73. 00 To the Same " " " N. 50. W.
78. 30 " " Same " " " S. 20. W.
80. 20 Intersected the N. & S. line 30. lbs. S. of the Post. On a Random
line. Timber. Oak & Hickory. Good Land.

- West Between Sec. 30 & 31. T. 5. S. R. 7. W. 2nd Mer.
40. 00 Set a Off. Sec. Post. from which an O. Oak 18. in. diam. bears

T. N. 5. S. R. N. 7. W. 2nd Mer.

S. 12 p. W. 11. lbs. dist. Van R. Oak 14 in. diam. bears N.
9. W. 9. lbs. dist.

63. 00 To an Elm 24. in. diam. stands in the line.

82. 25 To a Branch 12. lbs. wide. Course A.

103. 01 Intersecting Smith's line. 76. lbs. N. of the Post. Set a Post
from which a Gum 12 in. diam. bears N. 4. E. 28. lbs. dist.

To Gum 10. in. diam. bears N. 8. E. 34 lbs. dist. Land.
Incl. Part Maple. Bottom. rich Upland Oak. Gum. Elm &c.

North Between Sec. 29. & 30. T. 5. S. R. N. 7. W.

17. 70 To a B. Oak 18. in. diam. stands in the line.

38. 00 To a Branch 15. lbs. wide, Course E.

40. 00 Set a G. the Post. from which an R. Oak 18. in. diam. bears
N. 79. W. 25. lbs. dist. Van Elm 7 in. bears S. 86. E. 12 lbs. dist.

80. 00 Set a Wide Post. from which a Hickory 13. in. diam. bears
N. 46. W. 4. lbs. dist. To a B. Oak 22 in. diam. bears. S. 30. E.
67. lbs. dist. Incl. land. Oak. & Hick. Timber. Oct. 30th 1805.

West Between Sec. 19 & 30. T. 5. S. R. N. 7. W.

11. 62 To a B. Oak 22. in. diam. stands in the line.

41. 00 Set a G. the Post. from which an R. Oak 12 in. diam. bears
N. 50. W. 37. lbs. dist. To Gum 18. in. diam. bears S. 72. E. 54 lbs.

58. 00 To a Branch 12. lbs. wide: Course S. 30. E.

102 40 Intersected Smith's line 60 lbs. N. of the Post. Set a Post
from which a B. Oak 22. in. diam. bears N. 58. E. 33. lbs. dist.
To W. Oak 8. in. diam. bears S. 15. E. 63. lbs. dist.

Incl. Land. Timber Oak. & Hickory.

East Between Sec. 20. & 29. T. 5. S. R. N. 7. W.

40. 00 Set a G. the Post. from which a W. Oak 12. in. diam. bears
S. 51. E. 16. lbs. dist. To W. Oak 13. in. diam. bears N. 71. E. 40. lbs. dist.

55. 00 To a Branch 30. lbs. wide: Course South.

80. 00 Intersecting the A. & Stone 20 lbs. S. of the Post On a Random
Land Incl. Timber Oak. & Hickory.

ch. lks

East Boundary Sept. 26. 1805

South On E. boundary of Sec. 1

40.00 Set g. Sec. post, from which
a W. Oak 46 in. diam. bran N 13 E 13 lks. dist. of
a Do. 20 " " " S 37 W 30 " "

80.00 Set post Cor. to Sec. 1 of 12, from which
a W. Oak 11 in. diam. bran S 45 E 24 lks. dist. of
a Hickory — " " " N 45 W 50 " "
Good flat land, 1st half 1st rate — 2nd half poor hills

South On E. boundary of Sec. 12

31.50 a run 10 lks. wide Course N 80 W.

40.00 a Hickory 5 in. diam. mark for g. Sec. Cor. from which
a W. Oak 16 in. diam. bran S 12 W 6 lks. dist. of

80.00 Set post Cor. to Sec. 12 of 13, from which
a W. Oak 14 in. diam. bran S 27 W 57 lks. dist. of
a Do. 7 " " " N 69 E 10 " "
Creek flats, timber chiefly Oak

South On E. boundary of Sec. 13

40.00 Set g. Sec. post, from which
a W. Oak 13 in. diam. bran N 38 W 21 lks. dist. of
a Hickory 7 " " " S 25 E 20 " "

54.00 a Creek 20 lks. wide Course E.

80.00 Set post Cor. to Sec. 13 of 24, from which
a W. Oak 14 in. diam. bran S 57 E 40 lks. dist. of
a B. Oak 24 " " " N 57 W 26 " "
Sand Creek flats

South On E. boundary of Sec. 24

40.00 Set g. Sec. post, from which
a B. Oak 12 in. diam. bran N 16 W 20 lks. dist. of
a Do. 7 " " " S 31 E 31 " "

80.00 Set post Cor. to Sec. 24 of 25, from which
a Gum 24 in. diam. bran N 57 W 46 lks. dist. of
a Do. — " " " N 84 E 5 " "

S. L. R. & W. 2^d Mer. Indianach^d. lth

Cold day, land Creek flats, timber Gum,
Hickory, Oak, Elm &c.

South On E. boundary of Sec. 25

18.00 a run 10 lth. wide Course S. W.

40.00 Set of. Sec. post, from which

a W. Oak 24 in. diam. & trap N 35 W 23 lth. dist. &

a No. 10 " " " S 85 E 13 " "

51.50 a Creek 150 lth. wide Course N 6 W.

80.00 Set post Cor. to Sec. 25 & 36, from which

a W. Oak 16 in. diam. & trap N 40 W 39 lth. dist. &

a Swt. Gum 7 " " " S 60 E 4 " "

(Description of land timber &c. Omitted)

South On E. boundary of Sec. 36

40.00 Set of. Sec. post, from which

an Elm 10 in. diam. & trap S 84 W 9 lth. dist. &

a Hickory 5 " " " S 59 E 19 " "

80.00 Set post Cor. to Towns 5 & 6 South, of Ranges 6 & 7
West, from which

an Elm 20 in. diam. & trap S 18 E 15 lth. dist. &

a W. Oak 18 " " " N 74 W 46 " "

Flat Cold land, timber Oak, Elm & Hickory

September 27th 1805

Edward W. Lupper &

Augustus Stone,

Deputy Surveyor

North Boundary var. 6th 30' E.

West On 1st Mile, on N. boundary of Sec. 1:

19.00 a Hickory 18 in. diam.

24.00 a Creek 100 lth. wide Course S. W.

33.50 a Pond 100 lth. wide S & S.

40.00 Set of. Sec. post, from which

a Redwood 8 in. diam. & trap N 63 E 6 lth. dist. &

a S. Gum 6 " " " S 26 W 29 " "

T5 L R7 W-2nd Mer. Indiana

147

ch. 2nd 1/2.

71.65 a W. Oak 12 in. diam.

80.00 Set (mile post, with one notch, from which
a Hickory 12 in. diam. bear S 53 E 18 1/2 br. dist. of
a Logw. 4 " " " N 12 W 2 " "

Sand level part flat & part rolling thin Soil, timber
Oak, Hickory, Gum, Elm & Dogwood.

Nest On 2nd Mile, N. boundary of Sec. 2

6.04 a Red Oak 13 in. diam.

36.00 a Branch 10 br. wide Course S. W.

40.00 Set of Sec. post, from which

a Maple 12 in. diam. bear N 12 W 29 br. dist. of

a Do. 7 " " " S 20 E 10 " "

46.60 a Pin Oak 28 " "

47.50 a Branch 6 br. wide Course S. W.

80.00 Set a mile post, with 2 notches, from which

a W. Oak 22 in. diam. bear N 6 W 35 br. dist. of

a Hickory 10 " " " S 6 E 8 " "

Thin mile level on the branches, some good
bottom, timber Oak, Elm, Gum, Hickory, Maple &c

Nest On 3rd Mile, N. boundary of Sec. 3.

22.35 a Red Oak 30 in. diam.

40.00 Set of Sec. post, from which

a W. Oak 24 in. diam. bear N 55 E 3 br. dist. of

a Hickory 10 " " " S 52 W 7 " "

58.40 a P. Oak 26 " "

80.00 Set a mile post, with 3 notches, from which

a W. Oak 15 in. diam. bear N 83 W 21 br. dist. of

a Do. 8 " " " S 52 E 33 " "

Sand rolling thin Soil, timber Oak, Hickory & Logw.^o

Nest On 4 mile, North Boundary of Sec. 4

11.45 a Hickory 28 in. diam.

40.00 Set of Sec. post, from which

a W. Oak 18 in. diam. bear N 20 E 17 br. dist. of

S. L. P. & W. D. Mer. Indiana

ch. 2th

- a Sweet Gum 13 in. diam. - beam S 12° W 23 lks. dist.
 42.75 a W. Oak 36 " "
 46.50 a Brook 25 lks. wide runs S. W.
 80.00 Set a mile post, with 4 notches, from which
 a Sack Oak 8 in. diam. - beam N 67 1/2° E 12 lks. dist. &
 a Do. 12 " " " S 46 1/2° W 12 " "
 This mile generally flat & wet land, timber Oak
 Hickory, Sack Oak, Gum, Elm &c.

West On 5th mile, N. boundary of Sec. 5

- 1.37 a Maple 10 in. diam.
 30.50 a Branch 20 lks. wide Course S. E.
 40.00 Set of Sec. post, from which
 a Sack Oak 18 in. diam. - beam N 11° E 39 lks. dist. &
 a Do. 15 " " " S 21° E 45 " "
 80.00 Set a mile post, with 5 notches, from which
 a Hickory 10 in. diam. - beam N 35° W 9 lks. dist. &
 a Do. 14 " " " S 45° E 16 " "
 This mile generally flat land & wet, and full of
 brush & vines, timber Sack Oak, Pin Oak, Maple
 Elm, Hickory &c.

West On 6th mile, N. boundary of Sec. 6.

- 22.30 a Sassafras 12 in. diam.
 40.00 Set of Sec. post, from which
 a W. Oak 24 in. diam. - beam N 15 1/2° E 48 lks. dist. &
 a Do. 22 " " " S 46° E 51 " "
 80.00 Set post Cor. to Townships 5 South, off Range
 7 & 8 West (with 6 notches), from which
 a Hickory 12 in. diam. - beam S 5 1/2° W 14 lks. dist. &
 a Dogwood 8 " " " N 72° W 23 " "
 This mile rolling & of pretty good quality, timber
 Oak, Hickory &c. and dog. Spruce, Dogwood,
 Sassafras &c. August 12th 1875
 William Rector, A.S.

T5 S R7 W. 2^d. Mer. Indianach. 2^{ly}.West Boundary Oct. 25th 1805

From the N.E. Corner of Township 5 South,
Range 8 West from Mr. Pector's Corner, thence
South On E. boundary of Sec. 1, T5 S. R8 W

32.79 a Hickory 16 in. diam.

40.00 Set gr. Sec. post, from which

a Pin Oak 11 in. diam. bear N 31 $\frac{1}{2}$ W 27 $\frac{1}{2}$ ly. dist. ofa " " Do " 8 " " " " S 9 $\frac{1}{2}$ E 15 " "

80.00 Set post Cor. to Sec. 1 of 12, from which

a Logwood 9 in. diam. bear S 35 $\frac{1}{2}$ E 8 $\frac{1}{2}$ ly. dist. ofa W. Oak 20 " " " " S 81 $\frac{1}{2}$ W 60 " "

Over level land, Oak & Hickory, Greenbrier
undruth. with Oak & Sassafras

Oct. 26th 1805

South On E. boundary of Sec. 12, T5 S. R8 W

37.00 a watercourse 12 $\frac{1}{2}$ ly. wide run S.W.

40.00 Set gr. Sec. post, from which, 2 Red Oaks growing
together in the line each 20 in. diam. South 15 $\frac{1}{2}$ ly. dist

a W. Oak 14 in. diam. bear S 23 E 70 $\frac{1}{2}$ ly. dist. of

75.00 a W. Oak 24 " "

80.00 Set post Cor. to Sec. 12 of 13, from which

a Maple 18 in. diam. bear S 82 $\frac{1}{2}$ W 43 $\frac{1}{2}$ ly. dist. of

a W. Oak 14 " " " " N 36 E — " "

Over middling level land, Oak, Hickory &
Walnut, undruth. Spice &c.

South On E. boundary of Sec. 13, T5 S. R8 W

17.00 a Brook 50 $\frac{1}{2}$ ly. wide Course S.S.E.

40.00 Set gr. Sec. post, from which

an Elm 16 in. diam. bear S 80 E 5 $\frac{1}{2}$ ly. dist. ofa Do. 12 " " " " N 48 $\frac{1}{2}$ W 28 " "

63.25 a Maple 16 " "

80.00 Set post Cor. to Sec. 13 of 24, from which

a W. Oak 16 in. diam. bear S 38 E 52 $\frac{1}{2}$ ly. dist. ofa W. Oak 14 " " " " N 48 $\frac{1}{2}$ W 26 " "

T5 S R7 W, 2nd Mer. Indianack² lks.Land level, timber Oak, Hickory, Black Birch
Maple &c

 South On E. boundary of Sec. 24, T5 S, R8 W
 33.00 a B. Oak 24 in. diam.

 40.00 Set of Sec. post, from which
 a B. Oak 28 in. diam. bearing N 29 E 32 lks. dist. of
 a Hickory 10 " " " S 32 W 32 " "

 80.00 Set post Cor. to Sec. 24 & 25, from which
 a W. Oak 10 in. diam. bearing S 88 E 29 lks. dist. of
 a Hickory — " " " S 70 W 15 " "
 (Description of land timber &c. Omitted)

 South On E. boundary of Sec. 25, T5 S, R8 W
 8.75 a B. Oak 18 in. diam.

 40.00 Set of Sec. post, from which
 a Dogwood 9 in. diam. bearing N 85 E 26 lks. dist. of
 a Hickory 18 " " " N 58 W 14 " "

58.50 a watercourse 16 lks. wide Course S. E.

60.00 a Maple 18 in. diam.

 80.00 Set post Cor. to Sec. 25 & 36, from which
 a Gum 13 in. diam. bearing S 67 E 16 lks. dist. of
 a No. 13 " " " N 36 W 27 " "
 This mile over waving land or gentle ridges
 Soil rich, timber Oak, Dogwood, Hickory and
 some Walnut

South On E. boundary of Sec. 36, T5 S, R8 W.

23.50 a Stream 10 lks. wide Course E.

 40.00 Set of Sec. post, from which
 a Hickory 16 in. diam. bearing S 65 E 26 lks. dist. of
 an Elm 13 " " " N 38 W 33 " "

59.78 a Hickory 20 " "

 80.00 Set post Cor. to townships 5 & 6 South, Range
 7 & 8 West, from which
 a Dogwood 6 in. diam. bearing N 55 E 35 lks. dist. of

T5 S R 3 W. 2nd Mer. Indiana

ch. 11th.

a Hickory 10 in. diam. - 100 ft. high, 14 ft. dia.
 Over ridges land, timber Oak, Hickory, Maple
 & dogwood

Dec. 11th 1805

J. H. Smith

Deputy Surveyor

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

T. N. 5. S. W. N. 7. W. 2nd Mer

I Certify that the foregoing transcript of field notes of
Townships N. ⁴ 5 S. of Range N. 7 W. of the 2^d Principal Mer.
Indiana, has been compared with the original notes in
this Office, and found to be correct.

Surveyor General's Office
Detroit April 10 1846

Geo. L. L.